#### I. DESIGN CRITERIA BUILDING CODE: INTERNATIONAL BUILDING CODE, 2012 OCCUPANCY CATEGORY: IV WIND DESIGN DATA: a. BASIC WIND SPEED (3 SECOND GUST) - V = 120 MPH b. WIND IMPORTANCE FACTOR, Iw = 1.00 c. WIND EXPOSURE CATEGORY - C d. COMPONENTS AND CLADDING LESS THAN 700 SQ FT: DESIGN BY REGISTERED DESIGN PROFESSIONAL IN ACCORDANCE WITH ASCE 7-10 FIGURE 26.5-1

Ss = 0.174

S1 = 0.058

Sd1 = 0.092

SUBMIT LOADS FOR REVIEW USE Kd = 0.85 MIN AND Kzt = 1.0 MIN.

A. MAPPED SPECTRAL RESPONSE ACCELERATIONS:

B. IMPORTANCE FACTOR, le = 1.5 C. SITE CLASS - D D. SPECTRAL RESPONSE COEFFICIENTS: Sds = 0.186

E. SEISMIC DESIGN CATEGORY - C

## 2. GENERAL

- THE STRUCTURAL DRAWINGS SHALL BE USED IN CONJUNCTION WITH THE DRAWINGS OF ALL OTHER DISCIPLINES AND SPECIFICATIONS. THE CONTRACTOR SHALL VERIFY THE REQUIREMENTS OF OTHER TRADES AS TO SLEEVES, CHASES,
- HANGERS, INSERT ANCHORS, HOLES, AND OTHER ITEMS TO BE PLACED OR SET IN THE STRUCTURAL WORK. THE CONTRACTOR SHALL BE RESPONSIBLE FOR COMPLYING WITH ALL SAFETY PRECAUTIONS AND REGULATIONS DURING THE
- THE STRUCTURAL DRAWINGS HEREIN REPRESENT THE FINISHED STRUCTURE. THE CONTRACTOR SHALL PROVIDE ALL TEMPORARY GUYING AND BRACING REQUIRED TO ERECT AND HOLD THE STRUCTURE IN PROPER ALIGNMENT UNTIL ALL STRUCTURAL WORK AND CONNECTIONS HAVE BEEN COMPLETED. THE RESEARCH, DESIGN, SAFETY, ADEQUACY, AND INSPECTION OF ERECTION BRACING, SHORING, TEMPORARY SUPPORTS, ETC. IS THE SOLE RESPONSIBILITY OF THE
- THE ENGINEER SHALL NOT BE RESPONSIBLE FOR THE METHODS, TECHNIQUES, AND SEQUENCES OF PROCEDURES TO PERFORM THE WORK. THE SUPERVISION OF THE WORK IS THE SOLE RESPONSIBILITY OF THE CONTRACTOR.
- DRAWINGS INDICATE GENERAL AND TYPICAL DETAILS OF CONSTRUCTION. WHERE CONDITIONS ARE NOT SPECIFICALLY SHOWN, SIMILAR DETAILS OF CONSTRUCTION SHALL BE USED, SUBJECT TO APPROVAL BY THE STRUCTURAL ENGINEER.
- CONTRACTOR IS TO VERIFY ALL DIMENSIONS RELATIVE TO ARCHITECTURAL DRAWINGS PRIOR TO BEGINNING OF OF CONSTRUCTION. ANY DISCREPANCIES MUST BE REPORTED TO THE ENGINEER BEFORE PROCEEDING WITH WORK.
- ALL STRUCTURAL SYSTEMS, WHICH ARE TO BE COMPRISED OF COMPONENTS TO BE FIELD ERECTED, SHALL BE SUPERVISED BY THE SUPPLIER DURING MANUFACTURE, DELIVERY, HANDLING, STORAGE, AND ERECTION IN ACCORDANCE WITH THE SUPPLIER'S INSTRUCTIONS AND REQUIREMENTS.
- LOADING APPLIED TO THE STRUCTURE DURING THE PROCESS OF CONSTRUCTION SHALL NOT EXCEED THE SAFE LOAD-CARRYING CAPACITY OF THE STRUCTURAL MEMBERS. THE LIVE LOADING VALUES USED IN THE DESIGN OF THIS STRUCTURE ARE INDICATED IN THE "DESIGN CRITERIA NOTES". DO NOT APPLY ANY ERECTION OR CONSTRUCTION LOADS UNTIL STRUCTURAL FRAMING IS PROPERLY CONNECTED TOGETHER AND UNTIL ALL TEMPORARY BRACING IS IN PLACE.
- TEMPORARY OR PERMANENT SYSTEMS OR FRAMING MEMBERS THAT ARE NOT SPECIFICALLY DESIGNED, DETAILED, OR SPECIFIED IN THE CONTRACT DOCUMENTS BUT ARE REQUIRED TO COMPLETE THE FINISHED STRUCTURE, SHALL BE DESIGNED AND DETAILED BY OR UNDER THE COMMONWEALTH IN WHICH THE PROJECT IS LOCATED. ALL REQUESTED SUBMITTALS FOR THESE SYSTEMS OR FRAMING MEMBERS SHALL BE SIGNED AND SEALED BY SAID QUALIFIED PROFESSIONAL ENGINEER. SEE SECTION 13 ON S-002 FOR ADDITIONAL INFORMATION.
- ALL ASTM AND OTHER REFERENCES ARE PER THE LATEST EDITIONS OF THOSE STANDARDS, UNLESS NOTED OTHERWISE.
- 11. SEE SECTION 13 ON S-002 FOR LIST OF MINIMUM REQUIRED SHOP DRAWING SUBMITTALS.
- 12. CONTRACTORS SHALL VISIT THE SITE PRIOR TO BID TO ASCERTAIN CONDITIONS WHICH MAY ADVERSELY AFFECT THE WORK OR COST THEREOF.
- 13. THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS, ELEVATIONS, AND CONDITIONS WITH PREVIOUS CONSTRUCTION, EXISTING SERVICES, AND THE SITE BEFORE BEGINNING WORK, THE CONTRACTOR'S STARTING WORK WITHOUT NOTIFYING THE OWNER OF READILY APPARENT DISCREPANCIES, DEFECTS, OR OMISSIONS TO EXISTING CONDITIONS THAT EFFECT HIS WORK CONSTITUTE HIS ACCEPTANCE OF THAT WORK.
- 14. ALL SIGNED AND SEALED SHOP DRAWINGS AND/OR CALCULATIONS THAT ARE REQUIRED TO BE SUBMITTED FOR REVIEW SHALL BE DONE BY OR UNDER THE DIRECTION OF A QUALIFIED PROFESSIONAL ENGINEER REGISTERED IN THE STATE OR COMMONWEALTH IN WHICH THE PROJECT IS LOCATED.
- 15. FOR ITEMS TO BE SUBMITTED AS DEFERRED SUBMITTALS, SEE SECTION 13 ON S-002.

## 3. EXISTING CONSTRUCTION

- BEFORE PROCEEDING WITH ANY WORK WITHIN THE EXISTING FACILITY, THE CONTRACTOR SHALL FAMILIARIZE HIMSELF WITH EXISTING STRUCTURAL AND OTHER CONDITIONS. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO PROVIDE ALL NECESSARY BRACING, SHORING, AND OTHER SAFEGUARDS TO MAINTAIN ALL PARTS OF THE EXISTING WORK IN A SAFE CONDITION DURING THE PROCESS OF DEMOLITION AND CONSTRUCTION AND TO PROTECT FROM DAMAGE THOSE PORTIONS OF THE EXISTING WORK WHICH ARE TO REMAIN.
- THE CONTRACTOR SHALL FIELD VERIFY THE DIMENSIONS, ELEVATIONS, ETC. NECESSARY FOR THE PROPER CONSTRUCTION AND ALIGNMENT OF THE NEW PORTIONS OF THE WORK TO THE EXISTING WORK. THE CONTRACTOR SHALL MAKE ALL MEASUREMENTS NECESSARY FOR FABRICATION AND ERECTION OF STRUCTURAL MEMBERS. ANY DISCREPANCY SHALL BE IMMEDIATELY BROUGHT TO THE ATTENTION OF THE ENGINEER.
- WELDING TO AND WITHIN THE EXISTING FACILITY PRESENTS POTENTIAL HAZARDS, INCLUDING:
- A. FIRE HAZARD DUE TO THE EXISTING CONSTRUCTION AND BUILDING CONTENTS. B. STRUCTURAL LIQUEFACTION - DUE TO WELDING ACROSS THE FULL SECTION OF EXISTING STRUCTURAL MEMBERS.
- RECOMMENDATIONS TO PREVENT THESE HAZARDS INCLUDE:
- A. FIRE HAZARD PROTECT EXISTING COMBUSTIBLES PRIOR TO WELDING. KEEP A SEPARATE WATCHMAN AND SEVERAL
- FIRE EXTINGUISHERS ON HAND. STRUCTURAL LIQUEFACTION - WELD IN SMALL INCREMENTS. ALLOW WELDS TO HARDEN BEFORE CONTINUING TO THE
- NEXT INCREMENT. C. DO NOT LEAVE THE SITE UNTIL SATISFIED NO FIRE HAZARD EXISTS.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE DESIGN AND ERECTION OF ALL SHORING NECESSARY TO SAFEGUARD THE EXISTING STRUCTURE. THE SHORING SHOWN IS A PARTIAL AND SCHEMATIC REPRESENTATION OF THAT REQUIRED. THE CONTRACTOR SHALL SUBMIT A DETAILED PLAN FOR SHORING, BRACING AND PROTECTION OF EXISTING CONSTRUCTION. THE PLAN SHALL INCLUDE A CONSTRUCTION SEQUENCE, BEAR THE SEAL OF A PROFESSIONAL ENGINEER REGISTERED IN THE STATE OF ARIZONA AND BE SUBMITTED TO THE ENGINEER FOR REVIEW PRIOR TO BEGINNING THE WORK.

# 4. STRUCTURAL OBSERVATION

- VISUAL OBSERVATION OF THE STRUCTURAL SYSTEM SHALL BE PROVIDED BY THE REGISTERED DESIGN PROFESSIONAL IN RESPONSIBLE CHARGE FOR GENERAL CONFORMANCE TO THE APPROVED CONSTRUCTION DOCUMENTS AT SIGNIFICANT CONSTRUCTION STAGES AND AT COMPLETION OF THE STRUCTURAL SYSTEM. STRUCTURAL OBSERVATION DOES NOT INCLUDE OR WAIVE THE RESPONSIBILITY FOR THE INSPECTION REQUIRED BY CHAPTER 17 OF THE 2012 INTERNATIONAL BUILDING CODE.
- 2. STRUCTURAL OBSERVATION SHALL BE PROVIDED BY THE STRUCTURAL ENGINEER OF RECORD AT THE FOLLOWING PHASES AS A MINIMUM:

  - A. UPON COMPLETION OF FOUNDATION REINFORCEMENT, IMMEDIATELY PRIOR TO CONCRETE POUR. B. PERIODIC AND GENERAL CONCRETE CONSTRUCTION OBSERVATION DURING PLACEMENT FOUNDATIONS.
- FOR ALL ITEMS, THE CONTRACTOR SHALL NOTIFY THE STRUCTURAL ENGINEER 72 HOURS PRIOR TO THE BEGINNING, OR COMPLETION, OF THE WORK TO BE OBSERVED.

CONSULTANT:

## 5. SPECIAL STRUCTURAL INSPECTIONS

- THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE HIRING OF THE INSPECTION AGENCY TO PERFORM ALL REQUIRED SPECIAL INSPECTIONS AND TESTS. PRIOR TO FINAL SELECTION OF THE INSPECTION AGENCY, THE CONTRACTOR TO SUBMIT QUALIFICATIONS TO THE SAVAHCS AND THE REGISTERED DESIGN PROFESSIONAL IN RESPONSIBLE CHARGE FOR APPROVAL.
- FOR REQUIREMENTS OF THE SPECIAL INSPECTION AGENCY, REFER TO SPECIFICATION SECTION 01 45 33.
- SPECIAL STRUCTURAL INSPECTIONS SHALL BE CONDUCTED AND DOCUMENTED AS PER CHAPTER 17 OF THE 2012 IBC AND ALL APPLICABLE AMENDMENTS FOR THE FOLLOWING ITEMS OR AS REQUIRED BY THE BUILDING OFFICIAL:
  - A. SITE SOIL CONDITIONS
  - CONCRETE CONSTRUCTION MASONRY CONSTRUCTION
  - ANCHOR BOLTS IN PRE-DRILLED HOLES IN CONCRETE OR IN MASONRY
  - STEEL CONSTRUCTION ADHESIVE ANCHORAGE
- 4. ALL SPECIAL INSPECTIONS SHALL BE CONDUCTED BY A QUALIFIED SPECIAL INSPECTOR AS DETERMINED BY THE 2012 IBC AND PERFORMED UNDER THE SUPERVISION OF THE ENGINEER OF RECORD.
- SPECIAL INSPECTORS SHALL KEEP RECORDS OF INSPECTIONS. THE SPECIAL INSPECTOR SHALL FURNISH INSPECTION REPORTS TO THE SAVAHCS, AND TO THE REGISTERED DESIGN PROFESSIONAL IN RESPONSIBLE CHARGE. REPORTS SHALL INDICATE THAT WORK INSPECTED WAS OR WAS NOT COMPLETED IN CONFORMANCE TO APPROVED CONSTRUCTION DOCUMENTS. DISCREPANCIES SHALL BE BROUGHT TO THE IMMEDIATE ATTENTION OF THE CONTRACTOR FOR CORRECTION. IF THE DISCREPANCIES ARE NOT CORRECTED, THE DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE BUILDING OFFICIAL AND TO THE REGISTERED DESIGN PROFESSIONAL IN RESPONSIBLE CHARGE PRIOR TO THE COMPLETION OF THAT PHASE OF WORK. A FINAL REPORT DOCUMENTING REQUIRED SPECIAL INSPECTIONS, AND CORRECTION OF ANY DISCREPANCIES NOTED IN THE INSPECTIONS. SHALL BE SUBMITTED AT A POINT IN TIME AGREED UPON BY THE PERMIT APPLICANT AND THE BUILDING OFFICIAL PRIOR TO THE START OF WORK. (SECTION 1704.2.4, 2012 IBC)

#### 6. FOUNDATIONS

- 1. THE CONTRACTOR SHALL BE FAMILIAR WITH THE SITE SURVEY AND GEOTECHNICAL REPORT BEFORE BEGINNING CONSTRUCTION.
- 2. NO SOILS REPORT PROVIDED. BEARING PRESSURE USED IS THE ALLOWABLE OF 1,500 PSF PER THE 2012 IBC.
- ALL FOOTINGS SHALL BEAR ON UNDISTURBED, FIRM NATURAL SOIL OR COMPACTED FILL 2'-2" MINIMUM BELOW FINISHED GRADE CAPABLE OF SUPPORTING A DESIGN BEARING PRESSURE OF 1,500 PSF. FINISHED GRADE IS DEFINED AS TOP OF SLAB FOR INTERIOR FOOTINGS AND LOWEST ADJACENT GRADE WITHIN 5 FEET FOR PERIMETER FOOTINGS.
- 5. NOTIFY OWNER AS SOON AS POSSIBLE OF ANY UNUSUAL SOIL CONDITIONS OR SOIL CONDITIONS AT VARIANCE WITH THE GEOTECHNICAL REPORT.
- ALL FOUNDATION EXCAVATIONS SHALL BE EVALUATED BY THE GEOTECHNICAL ENGINEER / TESTING AGENCY PRIOR TO POURING FOUNDATION CONCRETE. ALL FOUNDATIONS SHALL BE SET ON FIRM UNDISTURBED MATERIAL OF DESIGN BEARING CAPACITY, WHICHEVER IS LOWER. THE GEOTECHNICAL ENGINEER/TESTING AGENCY SHALL VERIFY THAT EACH FOOTING IS BEARING ON UNDISTURBED MATERIAL OF BEARING CAPACITY.
- WHERE FOOTINGS ARE IN CLOSE PROXIMITY OF SEWERS, DRAINS, CONDUITS, PIPES, ETC., THE BOTTOM OF FOOTING SHALL BE SET AT OR BELOW THE INVERT ELEVATION OF THE ADJACENT ELEMENT.
- 8. TOP OF FOOTING ELEVATION SHALL BE AS SHOWN ON THE FOUNDATION PLAN. THESE ELEVATIONS ARE A MAXIMUM AND SHALL BE LOWERED AS REQUIRED TO OBTAIN THE REQUIRED DESIGN BEARING PRESSURE.
- BE 2'-0", UNLESS NOTED OTHERWISE. 10. ALL FOUNDATION CONCRETE SHALL OBTAIN A 28-DAY COMPRESSIVE STRENGTH OF 3,000 PSI. ALL CONCRETE TO BE

9. IF REQUIRED, STEP FOOTINGS AT A RATIO OF ONE (1) VERTICAL TO TWO (2) HORIZONTAL. THE MAXIMUM VERTICAL STEP SHALL

- PERMANENTLY EXPOSED TO WEATHER SHALL BE AIR ENTRAINED TO 5% ( 1%) WITH AN ADMIXTURE THAT CONFORMS TO ASTM
- PRIOR TO COMMENCING ANY FOUNDATION WORK, COORDINATE WORK WITH ANY EXISTING UTILITIES. FOUNDATIONS SHALL BE LOWERED WHERE REQUIRED TO AVOID UTILITIES UNLESS NOTED OTHERWISE.
- 12. UNLESS NOTED OTHERWISE, THE CENTERLINES OF COLUMN FOUNDATIONS SHALL BE LOCATED ON COLUMN CENTERLINES.
- 13. REINFORCING DETAIL DRAWINGS SHALL BE SUBMITTED TO THE ENGINEER FOR APPROVAL BEFORE WORK MAY PROCEED.
- 14. THE FOUNDATION CONTRACTOR SHALL PREPARE DRAWINGS SHOWING ANY NECESSARY UNDERPINNING, BRACING, AND / OR SHEETING OR OTHER CONSTRUCTION REQUIRED FOR THE SUPPORT OF ADJACENT PROPERTIES, STRUCTURES, AND BUILDINGS. NO WORK SHALL BEGIN UNTIL SUCH DRAWINGS HAVE BEEN SUBMITTED TO THE ENGINEER AND REVIEWED.
- 15. THE CONTRACTOR SHALL VERIFY DIMENSIONS AND LOCATIONS OF OPENINGS, PIPE SLEEVES, ANCHOR BOLTS, ETC. AS REQUIRED BY ALL TRADES BEFORE CONCRETE IS POURED.
- 16. BACKFILLING UNDER SLABS-ON-GRADE SHALL BE DONE WITH STRUCTURAL FILLS IN ACCORDANCE WITH THE SPECIFICATIONS AND THE GEOTECHNICAL REPORT.

## . EXCAVATION AND BACKFILLING

- THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE DESIGN, INSTALLATION, AND FINAL CLEARANCES OF ANY TEMPORARY NEEDLING, UNDERPINNING, SHORING, OR BRACING OF EXISTING ADJACENT STRUCTURE, UTILITIES, OR EXCAVATIONS. DETAILS AND CALCULATIONS SHALL BE SUBMITTED FOR REVIEW.
- 2. ALL WORK SHALL BE EXECUTED AND INSPECTED IN ACCORDANCE WITH ALL LOCAL, STATE, AND FEDERAL CODES, RULES, ORDINANCES AND REGULATIONS PERTAINING TO SITE EXCAVATIONS, FILL AND FOUNDATION PLACING ACTIVITIES.
- 3. ALL EXCAVATED MATERIALS THAT ARE NOT REUSABLE SHALL BE REMOVED FROM THE SITE PROPERLY AND LEGALLY DISPOSED AT AN OFF SITE LOCATION. REFERENCE SPECIFICATIONS FOR REQUIREMENTS RELATED TO THE IDENTIFICATION OF HAZARDOUS MATERIAL IN EXCAVATIONS AND REUSE OF EXCAVATED MATERIAL FOR BACKFILL.
- 4. BACKFILLING AGAINST FOUNDATION OR PIT WALLS WILL NOT BE PERMITTED UNTIL THE SUPPORTING FLOORS OR WALLS ARE IN PLACE AND ABLE TO RESIST THE IMPOSED FORCES. PROPER TEMPORARY BRACING MAY BE USED IN LIEU THERE OF WITH PROPER APPROVAL OF THE STRUCTURAL ENGINEER. THE DESIGN OF THE TEMPORARY BRACING IS THE SOLE RESPONSIBILITY
- 5. THE BACKFILL OR FILL MATERIAL SHALL HAVE AN OPTIMUM MOISTURE CONTENT OF +/- 2% WHEN PLACED AND COMPACTED. THE FOLLOWING SHALL BE FOLLOWED:
- A. TESTING SHALL COMPLY WITH THE PROCEDURES OF ASTM D698.
- B. ALL MINIMUM COMPACTION REQUIREMENTS PER THE GEOTECHNICAL REPORT:
- C. COMPACTION TESTS SHALL BE CONDUCTED ON THE SUBGRADE AND FOR EACH LAYER OF BACKFILL AT THE RATE OF ONE TEST FOR EVERY 2500 S.F. OR ONCE PER DAY PER LIFT.

# 8. CAST IN PLACE CONCRETE

- 1. ALL CONCRETE WORK ON THIS PROJECT SHALL COMPLY WITH THE LATEST EDITION OF THE "STANDARD SPECIFICATION FOR STRUCTURAL CONCRETE IN BUILDINGS", ACI 301, AND THE "BUILDING CODE REQUIREMENTS FOR REINFORCED CONCRETE", ACI
- CONCRETE MIXES SHALL BE DESIGNED PER ACI 301, USING PORTLAND CEMENT CONFORMING TO ASTM C-150, AGGREGATE CONFORMING TO ASTM C-33, ASTM C330 FOR LIGHTWEIGHT AGGREGATE, AND ADMIXTURES CONFORMING TO ASTM C-260, C-494, C-618, C-989 AND C-1017 (LISTING IS NOT ALL INCLUSIVE). CONCRETE SHALL BE READY - MIXED IN ACCORDANCE WITH ASTM C-94. SEE SPECIFICATIONS FOR CONFORMANCE REQUIREMENTS.
- CONCRETE SHALL CONFORM TO THE FOLLOWING COMPRESSIVE STRENGTH, SLUMP AND MAXIMUM WATER/CEMENT RATIO REQUIREMENTS:

#### FOUNDATIONS 4000 PSI 4000 PSI . SLAB ON GRADE

FOR SLUMP AND MAXIMUM WATER/CEMENT RATIO SEE TABLES IN CAST-IN-PLACE CONCRETE SPECIFICATION.

- 4. FOR SLAB ON GRADE, MAXIMUM SLUMP IS 4".
- 5. FOR AIR ENTRAINED CONCRETE MAXIMUM W/C RATIO = .44
- 6. HOT AND / OR COLD WEATHER CONCRETING SHALL BE IN ACCORDANCE WITH ACI 305 AND ACI 306, RESPECTIVELY
- ALL CONCRETE EXPOSED TO THE WEATHER OR IN A LOCATION VULNERABLE TO DEICERS SHALL CONTAIN AN AIR-ENTRAINING ADMIXTURE CONFORMING TO ASTM C260. SEE TABLES IN CAST-IN-PLACE CONCRETE SPECIFICATION FOR AMOUNT OF

One East Camelback Road

Phoenix, Arizona 85012

www.WRLdesign.com

Suite 690

A. FOR ELEVATED SLABS, THE AMOUNT OF ENTRAINED AIR SHALL NOT EXCEED 3%

CONSULTANT:

Westlake

\_eskosky

Reed

## 8. CAST IN PLACE CONCRETE (CONTINUED)

- 8. ALL REINFORCING STEEL SHALL CONFORM TO ASTM A-615, GRADE 60. WELDING OF REINFORCING BARS IS PROHIBITED WITHOUT PRIOR WRITTEN APPROVAL. IF WELDING OF REINFORCING IS NECESSARY, IT SHALL BE PERFORMED IN ACCORDANCE WITH AWS D1.4. REINFORCING STEEL FOR WELDED ASSEMBLIES SHALL CONFORM TO ASTM A-706 SPECIFICATIONS.
- 9. ALL WELDED WIRE REINFORCEMENT (WWR) SHALL CONFORM TO ASTM A-185 (SMOOTH STEEL WIRE) AND / OR ASTM A-497 (DEFORMED STEEL WIRE). ONLY FLAT SHEETS SHALL BE USED.
- 10. ALTERNATIVE REINFORCING STIRRUP CONSTRUCTION: IN LIEU OF ASTM A-615, GRADE 60 REINFORCING BARS, THE CONTRACTOR MAY SUBMIT FOR APPROVAL GRADE 75 HIGH YIELD WWR THAT IS CERTIFIED TO ASTM A-496 AND A-497 WHILE
- MEETING ACI 318 CODE REQUIREMENTS OF DEFORMED REINFORCEMENT TESTING. 11. ALL REINFORCING STEEL SHALL BE SET AND TIED IN PLACE PRIOR TO POURING OF CONCRETE. DO NOT FIELD BEND BARS PARTIALLY EMBEDDED IN HARDENED CONCRETE UNLESS SPECIFICALLY INDICATED OR APPROVED BY THE STRUCTURAL ENGINEER IN WRITING.
- 12. REINFORCING STEEL, INCLUDING HOOKS AND BENDS SHALL BE DETAILED IN ACCORDANCE WITH ACI 315.
- 13. ALL REINFORCING STEEL INDICATED AS BEING CONTINUOUS (CONT.) ON THE PLANS AND DETAILS SHALL BE LAPPED WITH A CLASS 'B' SPLICE OR 36 x BAR DIAMETER (WHICHEVER IS GREATER) UNLESS NOTED OTHERWISE.
- 14. CONCRETE SHALL BE DISCHARGED AT THE SITE WITHIN 1-1/2 HOURS AFTER WATER HAS BEEN ADDED TO THE CEMENT AND AGGREGATE. ADDITION OF WATER TO THE MIX AT THE PROJECT SITE WILL NOT BE ALLOWED. ALL WATER MUST BE ADDED AT
- 15. PROVIDE CORROSION RESISTANT ACCESSORIES SUCH AS PLASTIC COATED (NOT PLASTIC TIPPED) OR STAINLESS STEEL CHAIRS IN ALL EXPOSED CONCRETE CONSTRUCTION. PRECAST CONCRETE CHAIRS OR SAND PLATE CHAIRS SHALL BE USED FOR THE SUPPORT OF REINFORCING ON GRADE. CONCRETE BLOCK OR CLAY MASONRY BRICK ARE NOT PERMITTED.
- 16. REINFORCING BARS REQUIRED FOR PROPER SUPPORT OF PRINCIPAL REINFORCING SHALL BE DETAILED AND SUPPLIED BY THECONTRACTOR WHETHER OR NOT THEY ARE INDICATED ON THE DESIGN DRAWINGS. THE MINIMUM BAR SIZE SHALL BE # 4 AND THE MAXIMUM SPACING SHALL BE 36" ON CENTER FOR ALL BARS THAT NEED SUPPORT. WELDED WIRE FABRIC SHALL NOT BE USED TO SUPPORT THE PRINCIPAL REINFORCING.
- 17. PROVIDE 6 x 6 W2.0 x W2.0 WWR (FLAT SHEETS ONLY) IN ALL TOPPING SLABS, CONCRETE FILLS, STAIR PLATFORMS AND LANDINGS, UNLESS NOTED OTHERWISE.
- 18. ALL WWR SHALL BE CHAIRED TO ITS PROPER HEIGHT AND MAINTAINED AT THE PROPER LEVEL THROUGHOUT THE CONCRETE PLACING OPERATION. LIFTING OF WWR WITH A HOOK DURING CONCRETE PLACEMENT SHALL NOT BE PERMITTED.
- 19. VERIFY WITH THE ARCHITECTURAL DRAWINGS ALL TOP OF SLAB, TOPPING SLABS AND SLAB-ON-GRADE ELEVATIONS COMPLY WITH THE ARCHITECTURAL DRAWINGS FOR LOCATION AND EXTENT OF SPECIAL FINISHES OR TREATMENTS TO EXPOSED
- 20. UNLESS NOTED OTHERWISE, THE FOLLOWING MINIMUM CONCRETE COVER SHALL BE PROVIDED FOR REINFORCEMENT:

A.	CONCRETE CAST AGAINST AND PERMANENTLY EXPOSED TO EARTH	- 3"	
В.	FORMED CONCRETE EXPOSED TO EARTH OR WEATHER:		
	1. #6 THROUGH #18 BARS	<del>-</del> 2"	
	2. #5 BAR, W31 OR D31 WIRE & SMALLER	- 1 1/2"	
C.	CONCRETE NOT EXPOSED TO EARTH OR WEATHER:		
	1. SLABS:		
	i. #14 & #18 BARS	- 1 1/2"	
	ii. #11 BAR AND SMALLER	- 3/4"	
	2. WALLS:		
	i. INTERIOR FACE	- 3/4"	
	ii. EXTERIOR FACE, #5 BAR AND SMALLER	- 1 1/2"	
	iii. EXTERIOR FACE, #6 BAR AND LARGER	- 2"	

- 21. BAR SUPPORTS AND HOLDING BARS SHALL BE PROVIDED FOR ALL REINFORCING STEEL TO INSURE MINIMUM CONCRETE COVER. BAR SUPPORTS SHALL BE PLASTIC COATED (NOT PLASTIC TIPPED) OR STAINLESS STEEL.
- 22. OPENINGS SHALL NOT BE PLACED IN FRAMED SLABS, BEAMS, JOISTS, GIRDERS, COLUMNS, OR WALLS UNLESS SHOWN ON THE STRUCTURAL DRAWINGS OR APPROVED IN WRITING PRIOR TO PLACING CONCRETE. CUTTING HOLES THROUGH BEAMS, JOISTS OR COLUMNS SHALL NOT BE PERMITTED. CUTTING HOLES LARGER THAN 10" ROUND OR 8-1/2" SQUARE THROUGH SLABS SHALL
- 23. CONTRACTOR TO PREPARE CONSTRUCTION JOINT PLAN. CONSTRUCTION JOINTS SHALL BE SUBJECT TO REVIEW BY THE C.O.R. AND THE REGISTERED DESIGN PROFESSIONAL IN RESPONSIBLE CHARGE, AND SHALL BE DETAILED AS SPECIFIED ON THE DRAWINGS OR AS NOTED. CONTINUE ALL REINFORCING THROUGH THE JOINTS
- A. FRAMED SLABS AND WALLS LOCATE AT MIDSPAN. PROVIDE ONE CONTINUOUS HORIZONTAL SHEAR KEY 1-1/2" DEEP x 1/3
- THE DEPTH OF THE SLAB OR WALL. IF THE WALL IS AN EXTERIOR WALL, WATERSTOPS MUST BE LOCATED AT THE JOINT. B. SLABS ON STEEL DECK SUPPORTED BY STEEL BEAMS (EXCLUDING COMPOSITE DECK) - LOCATE JOINTS AT MIDSPAN OF
- DECK AND MIDSPAN OF BEAMS. NO KEY IS REQUIRED. 24. FOR POURING OF ELEVATED SLABS, PLACE CONCRETE FIRST OVER BEAMS AND GIRDERS RATHER THAN AT MID-SPAN. DO NOT
- PILE IT HIGHER THAN THE FINISHED DEPTH OF THE SLAB. 25. IN ORDER TO AVOID CONCRETE SHRINKAGE CRACKING, PLACE CONCRETE SLABS IN LONG ALTERNATING STRIPS WITH
- CONTRACTION JOINTS INSTALLED TRANSVERSE TO THE LENGTH OF THE STRIP. 26. PROVIDE CONTRACTION JOINTS IN ALL SLABS-ON-GRADE. THE MAXIMUM SPACING OF CONTRACTION JOINTS SHALL BE 15'-0"
- O.C., UNLESS NOTED OTHERWISE. CONTRACTOR TO SUBMIT JOINT LAYOUT AND PLACING SEQUENCE FOR REVIEW. 27. PROVIDE CONSTRUCTION JOINTS IN ACCORDANCE WITH ACI 318, SECTION 6.4. SUBMIT DRAWINGS SHOWING SEQUENCE AND DIRECTION OF POUR TO PERMIT SLAB SHRINKAGE FOR ENGINEERING REVIEW. PROVIDE KEYWAYS AND ADEQUATE DOWELS AT
- 28. REINFORCING BAR LAP SPLICES AND TENSION DEVELOPMENT LENGTHS SHALL CONFORM TO TABLE #1 ON THIS SHEET.
- 29. ALL HORIZONTAL WALL AND BEAM REINFORCING SHALL BEND AROUND ALL CORNERS AND LAPPED SO AS TO CONFORM TO TABLE #1 SHOWN ON THIS SHEET, UNLESS NOTED OTHERWISE.
- 30. PROVIDE PIPE SLEEVES AND INSERTS IN CONCRETE WHERE REQUIRED. COORDINATE THESE ITEMS WITH ARCHITECTURAL AND MECHANICAL DRAWINGS.
- 31. DETERMINE SIZE AND LOCATION OF MECHANICAL EQUIPMENT, AND MAKE PROVISIONS FOR BOLTS, SLEEVES, PADS, ETC. IN ACCORDANCE WITH THE MANUFACTURER'S CERTIFIED DRAWINGS. THIS WORK SHALL BE COORDINATED WITH ALL TRADES
- 32. ALL EDGES OF PERMANENTLY EXPOSED CONCRETE SURFACES SHALL BE CHAMFERED 3/4", UNLESS NOTED OTHERWISE.
- 33. THE CONTRACTOR SHALL PROVIDE THE STRUCTURAL ENGINEER WITH DOCUMENTATION THAT ALL MATERIALS CONFORM TO THE QUALITY STANDARDS NOTED HEREIN.
- 34. THE CONTRACTOR SHALL ALLOW IN THE BID AN ADDITIONAL ONE (1) TON OR 1% OF THE TOTAL TONNAGE (WHICHEVER IS GREATER) OF REINFORCING STEEL TO BE PLACED IN THE FIELD AT THE DIRECTION OF THE ENGINEER. ANY UNUSED PORTION OF THIS ALLOWANCE SHALL BE CREDITED TO THE SAVAHCS.
- 35. ALL CONCRETE WORK SHALL BE INSPECTED. THE CONTRACTOR WILL HIRE THE INSPECTION AGENCY TO PERFORM ALL REQUIRED INSPECTIONS AND TESTS. PRIOR TO HIRING THE INSPECTION AGENCY, THE CONTRACTOR TO SUBMIT QUALIFICATIONS OF THE PROPOSED TESTING AGENCIES TO THE SAVAHCS AND THE REGISTERED DESIGN PROFESSIONAL IN RESPONSIBLE CHARGE FOR APPROVAL.

# 9. LAP SPLICE AND ANCHORAGE TABLE

3. SLABS ON METAL DECK (WWR)

ALL CONSTRUCTION JOINTS

TABLE #1 MINIMUM LAP SPLICE AND ANCHORAGE **DIMENSION TABLE FOR 4000 PSI CONCRETE** <u>ASTM A 615 GRADE 60 REINFORCING</u>

TOP BARS			OTHER BARS		
BAR SIZE	<u>LAP</u>	<u>ANCHORAGE</u>	BAR SIZE	<u>LAP</u>	ANCHORAG
#3	24"	19"	# 3	19"	15"
# 4	33"	25"	# 4	25"	19"
# 5	41"	31"	# 5	31"	24"
#6	49"	37"	# 6	37"	29"
#7	71"	54"	# 7	54"	42"
#8	81"	62"	# 8	62"	48"
# 9	91"	70"	# 9	70"	54"
# 10	101"	78"	# 10	78"	60"
# 11	111"	85"	# 11	85"	66"
# 14	M.S.	108"	# 14	M.S.	83"
# 18	M.S.	139"	# 18	M.S.	107"

- 1. WHEN LAPPING TWO DIFFERENT SIZE BARS. USE THE LAP DIMENSION OF THE SMALLER BAR OR THE ANCHORAGE DIMENSION OF THE THE LARGER BAR, WHICHEVER IS LARGER.
- 2. TOP LAYER OF REINFORCING STEEL IN SLABS SHALL BE CONSIDERED TOP BARS REGARDLESS OF THICKNESS OF
- 3. WHERE M.S. (MECHANICAL SPLICE) IS SPECIFIED IN THE TABLE, USE A MECHANICAL SPLICE THAT DEVELOPS 125 % OF THE BAR YIELD STRENGTH.
- 4. FOR EPOXY COATED REINFORCING (IF SPECIFIED), MULTIPLY THE LAPS AND ANCHORAGE DIMENSIONS x 1.50

#### 10. STRUCTURAL STEEL

- 1. ALL STRUCTURAL STEEL SHALL CONFORM TO THE 14TH EDITION OF THE "STEEL CONSTRUCTION MANUAL" OF THE AMERICAN INSTITUTE OF STEEL CONSTRUCTION (AISC), D1.1 "STRUCTURAL WELDING CODE" OF THE AMERICAN WELDING SOCIETY (AWS), AND THE CONTRACT DOCUMENTS.
- 2. THE LOCATION, SIZE AND CONDITION OF EXISTING STRUCTURES, EQUIPMENT, UTILITIES, SERVICES AND OTHER RELEVANT ENGINEERING FEATURES SHALL BE VERIFIED PRIOR TO FABRICATION OR ERECTION.
- 3. THE CONTRACTOR IS RESPONSIBLE FOR THE DETERMINATION OF CLEARANCES, DIMENSIONS AND FABRICATION OR ERECTION PROCEDURES, ADEQUATE BRACING AND TEMPORARY SUPPORTS FOR THE STABILITY OF ALL EXISTING ITEMS.
- 4. WORK STRUCTURAL STEEL DRAWINGS WITH ARCHITECTURAL, HVAC, PLUMBING, FIRE PROTECTION, AND ELECTRICAL DRAWINGS FOR CLEARANCES, ATTACHMENTS, ETC.
- 5. UNLESS NOTED OTHERWISE, ALL MATERIAL SHALL BE IN ACCORDANCE WITH THE FOLLOWING ASTM SPECIFICATIONS:
  - PRIMARY & SECONDARY STRUCTURAL STEEL MEMBERS. 1. W - SHAPES ASTM A992 2. CHANNELS ASTM A36 or ASTM A572 GR. 50 3. ANGLES ASTM A36
- STRUCTURAL TUBING ASTM A500 GR. B CONNECTION PLATES, LOOSE PLATES, BASE PLATES &

SECONDARY ANGLES

- ANCHOR RODS ASTM F1554, GR. 36, 55, or 105 6. FOR BOLTED STRUCTURAL STEEL CONNECTIONS, USE A325 BOLTS OR ASTM F1852, TYPE 1 TWIST-OFF TENSION CONTROL BOLTS, INSTALLED PER SECTION 8 TO A MINIMUM PRETENSION AS STATED IN TABLE 8.1 AND INSPECTED PER SECTION 9 OF THE RCSC SPECIFICATION FOR STRUCTURAL JOINTS USING ASTM A325 OR A490 BOLTS, DATED DECEMBER 31, 2009. TYPICAL (UNLESS NOTED OTHERWISE). BOLTS SHALL BE INSTALLED AS "SNUG TIGHT" WITH THREADS EXCLUDED FROM THE SHEAR
- 7. DO NOT FINAL WELD OR BOLT UNTIL MEMBERS ARE IN PROPER ALIGNMENT
- 8. ALL WELDING SHALL BE IN ACCORDANCE WITH AMERICAN WELDING SOCIETY (AWS) D1.1 USING E70XX (MINIMUM) ELECTRODES. UNLESS NOTED OTHERWISE, PROVIDE CONTINUOUS MINIMUM SIZE FILLET WELDS PER ASIC REQUIREMENTS. ALL FILLER MATERIAL SHALL HAVE A MINIMUM YIELD STRENGTH OF 58 KSI.
- 9. COLUMNS AND BEAMS WITH BASE, CAP OR END PLATES SHALL HAVE SQUARE CUT OR MILLED ENDS.

ASTM A36

- 10. UNLESS NOTED OTHERWISE, ALL PIPE AND TUBE COLUMNS SHALL BE SEAL WELDED WITH CLOSURE PLATES TO BE AIR TIGHT ARCHITECTURAL PIPES AND TUBES SHALL BE PROVIDED WITH 3/8" DIAMETER WEEP HOLES.
- 11. STEEL SHAPES SHALL BE ERECTED STRAIGHT. CAMBER AND SWEEP MEASURED AT MID SPAN SHALL NOT EXCEED THE PERMISSIBLE VARIATION AS STATED IN THE CITED SPECIFICATION.
- 12. THE FRAMING SHALL BE ERECTED TRUE AND PLUMB. TEMPORARY BRACING SHALL BE PROVIDED AND SHALL REMAIN IN PLACE UNTIL THE LATERAL BRACING SYSTEM IS IN PLACE AND CONNECTIONS OF ALL MEMBERS ARE FINAL AND ALL DECK IS COMPLETELY ERECTED, WELDED AND SCREWED IN PLACE.
- 13. NON-METALLIC, NON-SHRINK, CHLORIDE FREE GROUT UNDER ALL COLUMN BASE PLATES AND BEAM BEARING PLATES SHALL CONSIST OF A PRE-MIXED PRODUCT COMPLYING WITH ALL REQUIREMENTS OF CRD-C621, ASTM C109 AND ASTM C1107.
- 14. WHERE "CONTINUOUS CHORD" ANGLES ARE INDICATED, PROVIDE A CONTINUOUS BUTT WELD OR FULL PENETRATION WELD AT THE SPLICE POINTS. THE STEEL FABRICATOR MAY SUBMIT AN ALTERNATE BOLTED CONNECTION DETAIL FOR APPROVAL.
- 15. HOLES IN STEEL SHALL BE DRILLED OR PUNCHED. ALL SLOTTED HOLES SHALL BE PROVIDED WITH SMOOTH EDGES. BURNING OF HOLES AND TORCH CUTTING AT THE SITE IS NOT PERMITTED.
- 16. THE STRUCTURAL STEEL ERECTOR SHALL PROVIDE ALL TEMPORARY GUYING AND BRACING (SEE 'GENERAL STRUCTURAL
- BEEN INVESTIGATED FOR POTENTIAL LOADING ENCOUNTERED DURING STEEL ERECTION AND CONSTRUCTION. ANY INVESTIGATION OF THE COLUMNS, ANCHOR BOLTS, BASE PLATES, ETC, FOR ADEQUACY DURING THE STEEL ERECTION AND CONSTRUCTION PROCESS IS THE SOLE RESPONSIBILITY OF THE CONTRACTOR.

17. COLUMNS, ANCHOR BOLTS, BASE PLATES, ETC. HAVE BEEN DESIGNED FOR THE FINAL COMPLETED CONDITION AND HAVE NOT

- 18. UNLESS NOTED OTHERWISE, ALL STRUCTURAL STEEL PERMANENTLY EXPOSED TO VIEW SHALL BE SHOP PAINTED PER THE FOLLOWING:
- A. PREPARE SURFACES IN ACCORDANCE WITH SSPC.
- B. APPLY PRIMER AS SPECIFIED IN THE CONTRACT SPECIFICATIONS. IF NO PRIMER IS SPECIFIED, ENSURE PRIMER CHOSEN IS COMPATIBLE WITH TOP COAT SPECIFIED.
- C. ALL BARE STEEL (BOLTS AND WELDS INCLUDED) FOUND IN THE FIELD AFTER ERECTION SHALL BE PREPARED AND PAINTED AS NOTED ABOVE.
- 20. UNLESS NOTED OTHERWISE, THE FOLLOWING ITEMS SHALL NOT BE PAINTED:
- SURFACES OF CONNECTIONS INDICATED AS SLIP CRITICAL SURFACES OF CONNECTIONS TO BE FIELD WELDED.

MEMBERS TO BE GALVANIZED.

REPAIRED IN ACCORDANCE WITH ASTM A780.

SURFACES TO RECEIVE HEADED SHEAR CONNECTORS. MEMBERS TO BE EMBEDDED IN CONCRETE OR MASONRY

FABRICATION. FIELD BURNING OF STRUCTURAL STEEL IS PROHIBITED.


21. UNLESS NOTED OTHERWISE, ALL STRUCTURAL STEEL PERMANENTLY EXPOSED TO THE WEATHER, INCLUDING ALL BRICK SHELF ANGLES, SHALL BE HOT - DIPPED GALVANIZED IN ACCORDANCE WITH ASTM A123. ALL DAMAGED GALVANIZING SHALL BE

SURFACES TO RECEIVE SPRAYED ON INSULATION OR FIRE PROTECTION.

- 22. PROTECTIVE COATINGS DAMAGED DURING THE TRANSPORTING, ERECTING AND FIELD WELDING PROCESSES SHALL BE REPAIRED IN THE FIELD TO MATCH THE SHOP APPLIED COATING.
- 23. THE SAVAHCS & CONTRACTOR WILL HIRE AN INDEPENDENT TESTING AGENCY TO PROVIDE SPECIAL INSPECTIONS OF BOLTING, WELDING AND OTHER ITEMS.
- 24. STEEL FABRICATORS SHALL BE AN AISC CERTIFIED SHOP FOR CATEGORY I STEEL STRUCTURES AND MAINTAIN DETAILED QUALITY CONTROL PROCEDURES.

25. ALL MODIFICATIONS REQUIRED FOR OTHER TRADES SHALL BE SHOWN ON THE SHOP DRAWINGS, AND MADE DURING SHOP





"BID SET"

Project Number 644-13-015 / 644-14-003 **Building Number** 1, 8, 16, 21, 31 Drawing Number

and Facilities Management

Department of Veterans Affairs

ARCHITECT/ENGINEERS:



**UPGRADE** 

**GENERAL STRUCTURAL NOTES** 

Drawing Title

Approved: Project Director

SITE ELECTRICAL DISTRIBUTION

PHOENIX, AZ **S-001** Checked Drawn WRL WRL

Office of Construction

